

1. IDENTIFICATION

Product Name:	Sukésha Shaping & Styling Hair Spray
Product Identification:	Sukésha Shaping & Styling Hair Spray
Recommended use:	Personal hair care product
Restrictions on Use:	Not available.
Manufactured for:	Chuckles, Inc. 11925 South Willow St Manchester, NH 03103
Emergency phone number:	(603) 669-4228
Transportation emergency:	(603) 669-4228
Product Type:	Aerosol Hair Spray

2. HAZARDS IDENTIFICATION

Classification: In compliance with EC regulation No.1272/2008 (CLP) and its amendments. This mixture does not present a physical hazard. .
In compliance with directives 67/548/EEC, 1999/45/EC and their amendments. This mixture does not present a physical hazard.

Label Elements: Hazard Pictograms:



Signal Word:	WARNING
Hazard Statements:	H223 Flammable aerosol H229 Pressurized container: may burst if heated
Precautionary Statements - Prevention:	P210 + P211 Keep away from heat/spark/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use
Precautionary Statements - Storage:	P410 + P412 Protect from sunlight. Do not expose to temperature exceeding 50°C/122°F
In compliance with Directive 67/548/EEC, 1999/45/EC and their amendments: Exempt under EU directive 76/768/EEC	
Hazard statements: Exempt under EU directive 76/768/EEC	
Precautionary statement: Exempt under EU directive 76/768/EEC	
Risk Phrases: Exempt under EU directive 76/768/EEC	
Safety Phrases: Exempt under EU directive 76/768/EEC	
Other Hazards:	No data available

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substances: No substances fulfill the criteria set forth in Annex II Section A of the REACH regulation (EC) N° 1907/2006.

Mixtures:
Composition:

CAS Number	Name	Classification	%
75-37-6	Hydroflourocarbon 152a	H221	30-60
64-17-5	Ethanol	R11	30-60
75-28-5	Isobutane	R12	1.0-10.0

4. FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor
NEVER induce swallowing in an unconscious person

Description of first aid measures:

- Inhalation:** In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest in a position comfortable for breathing. If symptoms develop, obtain medical attention. Apply artificial respiration if necessary.
- Eye Contact:** Remove any contact lenses. Remove particles by irrigating with eye wash solution or clean water for 15 minutes holding the eyelids open. If symptoms occur obtain medical attention.
- Ingestion:** Do not induce vomiting.
Seek medical attention immediately, showing the label.

Most important symptoms and effects, both acute and delayed: No data available.

Indication of any immediate medical attention and special treatment needed: No data available.

5. FIRE-FIGHTING MEASURES

- Extinguishing Media:** Water spray, Foam, Carbon Dioxide, Dry Chemical
Special Fire Fighting Procedures: Keep container cool by spraying them with water until the fire has been extinguished.
- Special hazards arising from the substance or mixture:** Containers may rupture and release flammable liquids and/or gasses if exposed to the heat of fire.
- Advice for firefighters:** Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures:** Consult the safety measures listed under headings 7 and 8.
For non fire-fighters: Eliminate source of ignition. Prevent additional discharge of material. Minimize breathing of vapors and skin contact. Ventilate confined space. Observe precaution for volatile, combustible vapors from absorbed material
If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.
For fire-fighters: Fire fighters will be equipped with suitable personal protective equipment (See section 8)
- Environmental precautions:** Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal.
Prevent any material from entering drains or waterways.
- Methods and material for containment and cleaning up:** Clean preferably with a detergent, do not use solvents.
- Reference to other sections:** No data available.

7. HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled

Individuals with a history of skin sensitization should not, under any circumstances, handle this mixture

- Precautions for safe handling:** Keep container closed. Handle and open container with care. Store in a ventilated place away from flammable material. Do not handle or store near an open flame, heat or other source of ignition. Do not cut, pressurize, heat or weld empty container. Do not reuse empty container
- Conditions for safe storage, including any incompatibilities:** Store at ambient temperature in a dry, well ventilated place.
Do not store near heat or open flame
Storage Level 1
Always keep in packaging made of an identical material to the original.
- Specific end use(s):** No data available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Exposure Control parameters:** Occupational exposure limits: Exempt under EU directive 76/768/EEC
TWA Total Workplace Allowance

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Aerosol

Appearance:	Misty spray of clear liquid
Color:	Clear
Odor:	Floral
pH (value):	Not applicable
Melting point(C°)/Freezing point(C°):	Not applicable
Flash Point (°C):	Propellant only -2°C, Concentrate only 2°C
Evaporation Rate:	->1
Flammability (solid, gas):	Flammable
Explosive limits ranges:	Not available
Vapor Pressure (mm Hg) @ 20°C:	Can pressure not to exceed 180 psig @ 131°F (12.4 bar @ 55°C)
Vapor density (Air =1):	- >1
Density (g/ml)	0.81 – 0.85
Percent Volatile:	55%
Solubility (Water)	Soluble
Auto-ignition Temperature (°C):	Not available
Viscosity (mPa.s)	Aerosol at ambient temperature
Explosive properties	Not explosive
Oxidizing properties:	Not oxidizing
Other information:	No data available

10. STABILITY AND REACTIVITY

Reactivity:	None
Chemical Stability:	This mixture is stable under the recommended handling and storage conditions in section 7
Possibility of Hazardous Reactions:	None
Conditions to avoid:	Avoid exposure to sun light, heat, or condition to heat them above 120°F (48°C)
Incompatible Materials:	None known
Hazardous Decomposition Products:	None known

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects:	No specific toxicological data are available for this product. Please refer to Section VI for information regarding accidental releases and Section XV for regulatory reporting information
--	---

12. ECOLOGICAL INFORMATION

Toxicity:	No data available.
Persistence and degradability:	No data available.
Bioaccumulative potential:	No data available.
Mobility in soil:	No data available.
Results of PBT and vPvB assessment:	No data available.
Other adverse effects:	No data available.


13. DISPOSAL CONSIDERATIONS

Waste treatment methods:	Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals. Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. May be disposed of by controlled incineration. Empty containers may be disposed of as normal refuse. Please recycle whenever possible. Do not contaminate the ground or water with waste, do not dispose of waste into the environment.
---------------------------------	--

14. TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2009 – IMDG 2008 – ICAO/IATA 2009).

Classification:



Flammable

US DOT PROPER SHIPPING NAME:	UN 1950, Aerosol, 2.1, LTD QTY (<1.0 L) UN 1950, Aerosol, 2.1 (>1.0L)
IATA PROPER SHIPPING NAME:	Consumer Commodity, 9, ID8000 (<1.0L) UN1950, Aerosol, Flammable, 2.1 (>1.0L)
IMDG PROPER SHIPPING NAME:	UN 1950, Aerosol, 2.1, LTD QTY (<1.0 L) UN 1950, Aerosol, Flammable, 2.1 (>1.0L)
TDGR (Canada GND):	Mark package "LIMITED QUANTITY" OR "QUANTITE LIMITE'E" or "LTD QTY" or "QUANT LTE'E" (<1.0L) UN1950 Aerosol, Flammable, 2.1 (>1.0L)
ARD/RID (EU):	UN1950, Aerosol, Flammable, 2.1, ADR, LTD QTY (<1.0L)
SCT (MEXICO):	UN1950, Aerosoles, Inflammable, 2.1m Cantidad Limitada (<1.0L)
ADGR (AUSTRALIA):	UN1950, Aerosol, Flammable, 2.1 LTD QTY (<1.0L)

15. REGULATORY INFORMATION

USA	
TSCA:	Components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory
SARA TITLE III, Section 311-312:	Acute, Fire, Sudden Release (1,1-Difluoro-Ethane, Isobutane); Acute and Fire Hazard (1,1-Difluoro-Ethane, Ethanol, Isobutane)
SARA TITLE III, Section 313:	None noted
CALIFORNIA PROPOSITION 65:	Not Regulated

Canadian Regulation:

Canadian Environmental Protection Act:	All of the ingredients are listed on the Canadian Domestic Substance List.
Canadian WHMIS Classification:	Class B-Division 5 Flammable Aerosol

**European Inventory of Existing Commercial Chemical Substances (EINECS):**

All of the ingredients are listed on the EINECS inventory

European Community Labeling:

Flammable

- H223:** Flammable aerosol
- H229:** Pressurized container: may burst if heated
- P210 + P211** Keep away from heat/spark/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source.
- P251** Do not pierce or burn, even after use.
- P410 + P412** Protect from sun light. Do not expose to temperature exceeding 50°C/122°F

16. OTHER INFORMATION

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

	NPCA-HMIS	NFPA 704	KEY: NPCA-HMIS/NFPA 704
HEALTH	1	NA	4=Severe/Extreme
FLAMMABILITY	3	NA	3=Serious/High
REACTIVITY	0	NA	2=Moderate/Moderate 1=Slight/Slight 0=Minimal/Insignificant

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and is accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

ACGIH - American Conference of Governmental Industrial Hygienists
 CAS# - Chemical Abstract System No.
 DOT -Department Of Transportation
 IMDG - International Maritime Dangerous Goods code
 NA - Not Applicable
 ND - Not Determined
 NFPA - National Fire Protection Association
 OSHA - Occupational Safety and Health Administration
 PMCC - Pensky-Martin Closed Cup (flash point)
 SARA - Superfund Amendments and Reauthorization Act Title I, II, III

Revision Date: September 22, 2014

Prepared for: Chuckles, Inc.

SDS Compliant with Regulation Version 1.01
 (EC) No 1907/2006 - N° 453/2006 September 22, 2014

The information contained herein is, to the best of our knowledge and belief, accurate and reliable as of the date issued. We do not however, warrant or guarantee the accuracy or reliability, nor shall we be liable for any loss or damage arising out of the use thereof. The information is offered for the user's consideration and examination, and it is the user's responsibility to satisfy himself that it is suitable and complete for his/her particular use.